L Number	Hits	Search Text	DB	Time stamp
-	1	kouzminov-t$.in.	USPAT; US-PGPUB	2004/10/25 18:07
-	835	713/193.ccls.	USPAT; US-PGPUB	2004/10/25 15:13
-	2	kouzminov-t$.in.	EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:08
-	175	(copy$3 near3 (prevent$3 or protect$3)) and (fpga or field adj programmable adj gate adj array)	USPAT; US-PGPUB	2004/10/25 18:09
-	4	(copy$3 near3 (prevent$3 or protect$3)) with (fpga or field adj programmable adj gate adj array)	USPAT; US-PGPUB	2004/10/25 18:24
-	21	(copy$3 near3 (prevent$3 or protect$3)) same (fpga or field adj programmable adj gate adj array)	USPAT; US-PGPUB	2004/10/25 18:16
-	4	(copy$3 near3 (prevent$3 or protect$3)) with (fpga or field adj programmable adj gate adj array or cpld or pld or programmable adj logic adj device)	USPAT; US-PGPUB	2004/10/25 18:24
-	22	(copy$3 near3 (prevent$3 or protect$3)) same (fpga or field adj programmable adj gate adj array or cpld or pld or programmable adj logic adj device)	USPAT; US-PGPUB	2004/10/25 18:34
-	23055	fpga or field adj programmable adj gate adj array or cpld or pld or programmable adj logic adj device	USPAT; US-PGPUB	2004/10/25 18:37
-	151	(fpga or field adj programmable adj gate adj array or cpld or pld or programmable adj logic adj device) with (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	USPAT; US-PGPUB	2004/10/25 18:38
-	15941	fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device	USPAT; US-PGPUB	2004/10/26 10:09
-	127	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	USPAT; US-PGPUB	2004/10/25 18:38
-	3345	fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device	EPO; JPO; DERWENT; IBM_TDB	2004/10/25 19:26
-	5	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (copy$3 near3 (prevent$3 or protect$3))	EPO; JPO; DERWENT; IBM_TDB	2004/10/25 19:28
-	5	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) same (copy$3 near3 (prevent$3 or protect$3))	EPO; JPO; DERWENT; IBM_TDB	2004/10/25 19:28
-	33	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	EPO; JPO; DERWENT; IBM_TDB	2004/10/25 19:28
-	15974	fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device	USPAT; US-PGPUB	2004/10/27 13:24
-	19	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with licens$3	USPAT; US-PGPUB	2004/10/26 10:17
-	1597	licens$3 with key	USPAT; US-PGPUB	2004/10/26 10:17
-	3	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (licens$3 with key)	USPAT; US-PGPUB	2004/10/26 10:18
-	6	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) same (licens$3 with key)	USPAT; US-PGPUB	2004/10/26 10:20
-	4973	(encrypt$3 or decrypt$3 or encipher$3 or decipher$3) with (random or pseudo$1random)	USPAT; US-PGPUB	2004/10/26 10:21
-	16	((encrypt$3 or decrypt$3 or encipher$3 or decipher$3) with (random or pseudo$1random)) same (fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device)	USPAT; US-PGPUB	2004/10/26 10:32
-	13077	(random or pseudo$1random) with (initial$8 or seed)	USPAT; US-PGPUB	2004/10/26 10:33
-	26	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) same ((random or pseudo$1random) with (initial$8 or seed))	USPAT; US-PGPUB	2004/10/26 10:33
-	15974	fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device	USPAT; US-PGPUB	2004/10/28 11:46

-	301	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (authentic$6 or verif$8 or authoriz$6)	USPAT; US-PGPUB	2004/10/27 13:25
-	11	((fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (authentic$6 or verif$8 or authoriz$6)) same (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	USPAT; US-PGPUB	2004/10/27 17:25
-	1071	((encrypt$3 or decrypt$3 or encipher$3 or decipher$3) with (random or pseudo$1random)) with (authentic$6 or verif$8 or authoriz$6)	USPAT; US-PGPUB	2004/10/27 17:32
-	0	(((encrypt$3 or decrypt$3 or encipher$3 or decipher$3) with (random or pseudo$1random)) with (authentic$6 or verif$8 or authoriz$6)) with (fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device)	USPAT; US-PGPUB	2004/10/27 17:26
-	0	(((encrypt$3 or decrypt$3 or encipher$3 or decipher$3) with (random or pseudo$1random)) with (authentic$6 or verif$8 or authoriz$6)) same (fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device)	USPAT; US-PGPUB	2004/10/27 17:26
-	30	(((encrypt$3 or decrypt$3 or encipher$3 or decipher$3) with (random or pseudo$1random)) with (authentic$6 or verif$8 or authoriz$6)) and (fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device)	USPAT; US-PGPUB	2004/10/27 17:26
-	828	(((encrypt$3 or decrypt$3 or encipher$3 or decipher$3) with (random or pseudo$1random)) with (authentic$6 or verif$8 or authoriz$6)) same key	USPAT; US-PGPUB	2004/10/27 17:32
-	37	(((encrypt$3 or decrypt$3 or encipher$3 or decipher$3) with (random or pseudo$1random)) with (authentic$6 or verif$8 or authoriz$6)) same ((three or multiple or third) near3 key)	USPAT; US-PGPUB	2004/10/27 17:32
-	16083	fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device	USPAT; US-PGPUB	2004/10/28 11:46
-	861	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with enabl$3	USPAT; US-PGPUB	2004/10/28 12:01
-	35	((fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with enabl$3) same (authentic$6 or verif$8 or authoriz$6)	USPAT; US-PGPUB	2004/10/28 11:47
-	2682	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (enabl$3 or terminat$3 or disabl$3 or opera$5)	USPAT; US-PGPUB	2004/10/28 12:02
-	123	((fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (enabl$3 or terminat$3 or disabl$3 or opera$5)) same (authentic$6 or verif$8 or authoriz$6)	USPAT; US-PGPUB	2004/10/28 12:02
-	62	((fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (enabl$3 or terminat$3 or disabl$3 or opera$5)) with (authentic$6 or verif$8 or authoriz$6)	USPAT; US-PGPUB	2004/10/28 12:02
-	0	(((fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (enabl$3 or terminat$3 or disabl$3 or opera$5)) with (authentic$6 or verif$8 or authoriz$6)) same (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	USPAT; US-PGPUB	2004/10/28 12:05
-	12	(((fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (enabl$3 or terminat$3 or disabl$3 or opera$5)) with (authentic$6 or verif$8 or authoriz$6)) and (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	USPAT; US-PGPUB	2004/10/28 12:03
-	2	(((fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (enabl$3 or terminat$3 or disabl$3 or opera$5)) same (authentic$6 or verif$8 or authoriz$6)) same (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	USPAT; US-PGPUB	2004/10/28 12:06

-	14	(((fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (enabl$3 or terminat$3 or disabl$3 or opera$5)) same (authentic$6 or verif$8 or authoriz$6)) and (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	USPAT; US-PGPUB	2004/10/28 12:58
-	24	kean-thomas$.in.	USPAT; US-PGPUB	2004/10/28 12:07
-	1	5742616.pn.	USPAT; US-PGPUB	2004/10/28 13:17
-	376	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with sequence	USPAT; US-PGPUB	2004/10/28 13:17
-	23	(fpga or field adj programmable adj gate adj array or cpld or complex adj programmable adj logic adj device) with (sequence near3 generat$3)	USPAT; US-PGPUB	2004/10/28 14:16
-	827	713/168.ccls.	USPAT; US-PGPUB	2004/10/28 14:16
-	1106	713/176.ccls.	USPAT; US-PGPUB	2004/10/28 14:16
-	604	713/189.ccls.	USPAT; US-PGPUB	2004/10/28 14:20
-	2437	713/168.ccls. or 713/176.ccls. or 713/189.ccls.	USPAT; US-PGPUB	2004/10/28 14:20
-	20175	(random or pseudo$1random) with (initial$8 or seed or key)	USPAT; US-PGPUB	2004/10/28 14:20
-	1671	((random or pseudo$1random) with (initial$8 or seed or key)) with (authentic$6 or verif$8 or authoriz$6)	USPAT; US-PGPUB	2004/10/28 14:21
-	233	(713/168.ccls. or 713/176.ccls. or 713/189.ccls.) and (((random or pseudo$1random) with (initial$8 or seed or key)) with (authentic$6 or verif$8 or authoriz$6))	USPAT; US-PGPUB	2004/10/28 14:21
-	752	(((random or pseudo$1random) with (initial$8 or seed or key)) with (authentic$6 or verif$8 or authoriz$6)) with (encrypt$3 or decrypt$3 or encipher$3 or decipher$3)	USPAT; US-PGPUB	2004/10/28 14:21
-	118	(713/168.ccls. or 713/176.ccls. or 713/189.ccls.) and ((((random or pseudo$1random) with (initial$8 or seed or key)) with (authentic$6 or verif$8 or authoriz$6)) with (encrypt$3 or decrypt$3 or encipher$3 or decipher$3))	USPAT; US-PGPUB	2004/10/28 14:55
-	0	(challenge near5 response) with (random or pseudo$1random) with (block near3 cipher)	USPAT; US-PGPUB	2004/10/28 14:56
-	4	(challenge near5 response) with (random or pseudo$1random) with (block)	USPAT; US-PGPUB	2004/10/28 14:56
-	6	(challenge near5 response) with (random or pseudo$1random) with (block cipher)	USPAT; US-PGPUB	2004/10/28 15:04
-	165	(random or pseudo$1random) with (block near2 cipher)	USPAT; US-PGPUB	2004/10/28 15:04
-	32	((random or pseudo$1random) with (block near2 cipher)) same (authentic$6 or verif$8 or authoriz$6)	USPAT; US-PGPUB	2004/10/28 15:11
-	5	("6356637" "4878246" "5036468" "6324286" "6615349").pn.	USPAT; US-PGPUB	2004/10/28 15:11
-	208	encrypt$3 with ((random or pseudo$1random or pseudo adj random) near5 (seed or initial$10))	USPAT	2004/11/09 19:01
-	5	(encrypt$3 with ((random or pseudo$1random or pseudo adj random) near5 (seed or initial$10))) with authentic$5	USPAT	2004/11/09 18:52
-	22	(encrypt$3 with ((random or pseudo$1random or pseudo adj random) near5 (seed or initial$10))) same authentic$5	USPAT	2004/11/09 18:52
-	1872	(random or pseudo$1random or pseudo adj random) near5 (initial$10 or seed) with (generat$3)	USPAT	2004/11/09 19:47
-	338	((random or pseudo$1random or pseudo adj random) near5 (initial$10 or seed) with (generat$3)) with (send$3 or transmit$4 or transmission or receiv$3)	USPAT	2004/11/09 19:02
-	33	(((random or pseudo$1random or pseudo adj random) near5 (initial$10 or seed) with (generat$3)) with (send$3 or transmit$4 or transmission or receiv$3)) with (encrypt$3 or encipher$3)	USPAT	2004/11/09 19:02
-	74	((random or pseudo$1random or pseudo adj random) near5 (initial$10 or seed) with (generat$3)) with synchroniz$5	USPAT	2004/11/09 19:48
-	2	(((random or pseudo$1random or pseudo adj random) near5 (initial$10 or seed) with (generat$3)) with synchroniz$5) with (encrypt$3 or encipher$3)	USPAT	2004/11/09 19:54

| - | 11 | (((random or pseudo$1random or pseudo adj random) near5 (initial$10 or seed) with (generat$3)) with synchroniz$5) same (encrypt$3 or encipher$3) | USPAT | 2004/11/09 19:54 |
| - | 2 | wo-9930499-$.did. | EPO; JPO; DERWENT | 2004/11/09 21:40 |